

**IN THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1 Claim 1 (*Currently Amended*) A golf cart enclosure, comprising:

2 a support structure having two lateral frames, each frame being disposed on one side of  
3 said enclosure, a front cross bar disposed across a front end of said enclosure between said lateral  
4 frames, and a rear cross bar disposed across a rear end of said enclosure between said lateral  
5 frames, each of said lateral frames comprising a front vertical member, a center vertical member,  
6 a rear vertical member, a top horizontal member disposed across said front, center and rear  
7 vertical members, and a bottom horizontal member disposed across said front vertical member  
8 and said center vertical member;

9 a roof secured on top of said support structure;

10 a front bib, defining a front hood portion of said enclosure, secured to the front vertical  
11 members of said lateral frames;

12 a rear bib, ~~defining a rear baggage area of the golf cart~~, secured to the rear vertical  
13 members of said lateral frames, said rear bib separating a passenger compartment from a rear  
14 baggage area;

15 a front windshield mounted onto the support structure at the front end of said enclosure;

16 a rear windshield mounted onto the support structure at the rear end of said enclosure; ~~and~~

17 a side door assembly disposed along each of said lateral frames; and  
18 a pivoting wheel access member pivotally connected to a bottom portion of said rear  
19 vertical frame member on each of said lateral frames;  
20 whereby said enclosure is fitted to an existing golf cart chassis to provide a complete  
21 weatherproof enclosure for a golf cart.

Claims 2-3 (Canceled)

1 . Claim 4 (Original) The golf cart enclosure according to claim 1, wherein said roof comprises  
2 a generally rectangular main body with a top surface and a bottom surface, and a plurality of  
3 bonded studs disposed along the bottom surface of said roof, whereby said roof is secured to said  
4 front cross bar and said rear cross bar by said bonded studs.

1 Claim 5 (Original) The golf cart according to claim 1, wherein said front windshield is mounted  
2 on top of the front bib and secured to the front vertical members of said lateral frames.

1 Claim 6 (Original) The golf cart according to claim 1, wherein said front windshield comprises  
2 a fixed bottom portion, a slidably adjustable top portion and an adjustable fastener for securing  
3 said top portion in a desired position.

1 Claim 7 (Original) The golf cart according to claim 6, wherein said adjustable fastener  
2 comprises a pair of magnets disposed on either side of said top portion.

1 Claim 8 (Original) The golf cart according to claim 1, wherein said rear windshield comprises  
2 a right portion and a left portion, said right portion and said left portion being slidably adjustable  
3 from a closed position to an open position.

1 Claim 9 (Currently Amended) The golf cart according to claim 1, wherein each of said side  
2 door assemblies comprises a forward side door and a rearward side door, wherein said ~~forward~~  
3 ~~side door and said rearward side door are mounted to the roof of said enclosure~~ includes track  
4 members for hanging said forward side door and said rearward side door.

1 Claim 10 (Original) The golf cart enclosure according to claim 9, further comprising a pair of  
2 track members, each having a plurality of door receiving tracks, disposed along the bottom  
3 surface of said roof on either side of said roof, wherein said forward doors and said rearward  
4 doors are slidably secured to said track members.

1 Claim 11 (Original) The golf cart enclosure according to claim 1, further comprising a  
2 protective back panel disposed along each of said lateral frames between the rear vertical frame  
3 member and the center vertical frame member.

1 Claim 12 (*Original*) The golf cart according to claim 11, further comprising an access opening  
2 disposed between the rear vertical frame member and the center vertical frame member  
3 underneath said protective back panel.

Claim 13 (*Canceled*)

1 Claim 14 (*Original*) The golf cart enclosure according to claim 1, further comprising a baggage  
2 area cover secured to said roof by a cover bracket, wherein said baggage area cover comprises  
3 a flexible, waterproof sheet for protecting the contents of the baggage area.

1 Claim 15 (*Currently Amended*) ~~The golf cart enclosure according to claim 6, further comprising~~  
2 A golf cart enclosure, comprising:

3 a support structure having two lateral frames, each frame being disposed on one side of  
4 said enclosure, a front cross bar disposed across a front end of said enclosure between said lateral  
5 frames, and a rear cross bar disposed across a rear end of said enclosure between said lateral  
6 frames, each of said lateral frames comprising a front vertical member, a center vertical member,  
7 a rear vertical member, a top horizontal member disposed across said front, center and rear  
8 vertical members, and a bottom horizontal member disposed across said front vertical member  
9 and said center vertical member;

10 a roof secured on top of said support structure;

11 a front bib, defining a front hood portion of said enclosure, secured to the front vertical  
12 members of said lateral frames;

13 a rear bib secured to the rear vertical members of said lateral frames, said rear bib  
14 separating a passenger compartment from a rear baggage area;

15 a front windshield mounted onto the support structure at the front end of said enclosure,  
16 said front windshield comprising a fixed bottom portion, a slidably adjustable top portion and an  
17 adjustable fastener for securing said top portion in a desired position;

18 a windshield adjustment knob secured to the top portion of said windshield and a knob  
19 retaining strap secured to the bottom surface of said roof having a pair of knob receiving holes,  
20 whereby said adjustment knob secures said front windshield in an open position when received  
21 in a first of said knob receiving holes and in a closed position when received in a second of said  
22 knob receiving holes;

23 a rear windshield mounted onto the support structure at the rear end of said enclosure; and

24 a side door assembly disposed along each of said lateral frames;

25 whereby said enclosure is fitted to an existing golf cart chassis to provide a complete  
26 weatherproof enclosure for a golf cart.

1 Claim 16 (Original) The golf cart enclosure according to claim 1, wherein said support structure  
2 is made from generally rectangular, hollow steel tubes.

1 Claim 17 (*Currently Amended*) The golf cart enclosure according to claim 1, wherein said ~~front~~  
2 rear bib and said roof are each made from one piece fiber glass moldings.

1 Claim 18 (*Currently Amended*) The golf cart according to claim 1, wherein said ~~rear~~ front bib  
2 is made from a single piece of sheet aluminum.

1 Claim 19 (*Original*) The golf cart enclosure according to claim 6, whereby said forward side  
2 door and said rearward side door are made from impact resistant polycarbonate panels.

1 Claim 20 (*Original*) The golf cart enclosure according to claim 1, whereby said front windshield  
2 and said rear windshield are made from impact resistant polycarbonate panels.